

SAFETY DATA SHEET

Retailbros.

In accordance with 1907/2006 annex II and 1272/2008
(All references to EU regulations and directives are abbreviated into only the numeric term)
Issued 2025-08-27
Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name YUGOU SPRAY IT DOWN Kitchen Spray
Article number 11052

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Cleaning/washing agents

1.3. Details of the supplier of the safety data sheet

Company Retailbros AB
Lillsjövägen 7
136 50 Jordbro
Sweden
Telephone 08-411 00 02
E-mail hello@retailbros.se
Website www.retailbros.se

1.4. Emergency telephone number

Phone number for emergencies: 999 or 112. The numbers are available 24/7.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Dam. 1, H318
Aquatic Chronic 3, H412
(See section 16)

2.2. Label elements

Hazard pictogram



Signal word Danger
Hazard statements
H318 Causes serious eye damage
H412 Harmful to aquatic life with long lasting effects
Precautionary statements
P101 If medical advice is needed, have product container or label at hand
P102 Keep out of reach of children
P273 Avoid release to the environment
P280 Wear eye protection
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310 Immediately call a POISON CENTER
P501 Dispose of contents and container to authorised waste disposal facility

Supplemental hazard information

Contains: ALCOHOLS, C9-11, ETHOXYLATED, QUATERNARY AMMONIUM CHLORIDE

2.3. Other hazards

Not indicated.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
ALCOHOLS, C12-13, BRANCHED AND LINEAR, ETHOXYLATED		
CAS No: 160901-19-9	Aquatic Acute 1, Aquatic Chronic 2; H400, H411	<10 %
DIPROPYLENE GLYCOL METHYL ETHER		
CAS No: 34590-94-8 EC No: 252-104-2 REACH: 01-2119450011-60	<i>Substance with a Union workplace exposure limit</i>	<5 %
ALCOHOLS, C9-11, ETHOXYLATED		
CAS No: 68439-46-3 EC No: 614-482-0	Acute Tox. 4, Eye Dam. 1; H302, H318	<3 %
QUATERNARY AMMONIUM CHLORIDE		
CAS No: 61791-10-4	Eye Dam. 1, Aquatic Chronic 2; H318, H411	<3 %
BENZODODECINIUM CHLORIDE		
CAS No: 139-07-1 EC No: 205-351-5 REACH: 01-2120831693-52	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1, M = 10, Aquatic Chronic 1; H302, H314, H400, H410	<1 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

Contents according to 648/2004.

5-<15% Non-ionic surfactants.

<5% Cationic surfactants.

Perfumes.

Preservatives: Phenoxyethanol

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms occur, call a doctor/physician.

Upon breathing in

Fresh air and rest. If symptoms persist seek medical advice.

Upon eye contact

Remove contact lenses immediately if possible.

Rinse immediately with tepid water for 15 - 20 minutes with eyes wide open. Immediately transport the injured person to a hospital.

Important! Also flush during transport to hospital (eye specialist).

Upon skin contact

Remove contaminated clothes.

Wash the skin with soap and water.

If symptoms occur, contact a physician.

Upon ingestion

Rinse mouth out thoroughly first with water, then SPIT OUT the rinse water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

4.2. Most important symptoms and effects, both acute and delayed

Upon eye contact

Causes serious eye damage.

Upon ingestion

May cause irritation of mucous membranes, nausea and vomiting.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

Upon contact with a doctor, make sure to have the label or this safety data sheet with you.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

5.2. Special hazards arising from the substance or mixture

In case of fire, substances hazardous to health, or substances harmful in other respects, may be dispersed.

Note, risk for discharge of environmentally harmful substances.

Avoid that water used for extinguishing fire reaches drains. Water used for extinguishing fire should be handled according to current regulations.

5.3. Advice for firefighters

Protective measures to be taken with regard to other materials at the scene of the fire.

In case of fire use proper breathing apparatus.

Wear full protective clothing.

Contain and collect extinguishing liquid.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep unauthorized and unprotected people at a safe distance.

Avoid inhalation and exposure to skin and eyes.

In case of spillage in protected water, call the emergency services immediately, tel. 112 (in Europe).

Ensure good ventilation.

Use recommended safety equipment, see section 8.

6.2. Environmental precautions

Avoid release to drains, soil or watercourses.

Please contact involved authorities if unintended release occurs.

6.3. Methods and material for containment and cleaning up

Absorb the liquid with an inert absorbent, vermiculite, for example. Collect the material for disposal at a waste disposal facility.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Take the necessary preventive and protective measures for safe handling.
- Avoid inhalation and contact with skin and eyes.
- Work in order to avoid spillage. If spillage does occur, address it immediately in accordance with the directions specified in Section 6 of this safety data sheet.
- Store this product separately from food items and keep it out of the reach of children and pets.
- Do not eat, drink or smoke in premises where this product is handled.
- Wash your hands after using the product.
- Remove contaminated clothing.
- Wash contaminated clothing before reuse.
- Keep away from incompatible products.
- Use recommended safety equipment, see section 8.
- Implement appropriate engineering controls if necessary, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

- The product should be stored in a manner which prevents hazards to health and the environment. Avoid exposure to humans and animals and do not discharge the product in a sensitive environment.
- Take the necessary preventive and protective measures for safe storage.
- Keep out of reach for children.
- To be stored away from food and animal fodder and away from devices or surfaces that are in contact with those items.
- Store tightly, in original packaging.
- Always use sealed and visibly labeled packages.
- Store in dry and cool area.
- Do not store in direct sunlight.
- Store in a well-ventilated space.

7.3. Specific end use(s)

- See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values

DIPROPYLENE GLYCOL METHYL ETHER

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 50 ppm / 308 mg/m³

Note Sk

2,6-DI-tert-BUTYL-p-CRESOL

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 10 mg/m³

Explanations of abbreviations are given in Section 16b

DNEL

DIPROPYLENE GLYCOL METHYL ETHER

	Type of exposure	Route of exposure	Value
Consumer	Chronic Systemic	Inhalation	37.2 mg/m ³
Worker	Chronic Systemic	Dermal	283 mg/kg bw
Worker	Chronic Systemic	Inhalation	308 mg/m ³
Consumer	Chronic Systemic	Oral	36 mg/kg bw
Consumer	Chronic Systemic	Dermal	121 mg/kg bw

ALCOHOLS, C9-11, ETHOXYLATED

	Type of exposure	Route of exposure	Value
Worker	Chronic Systemic	Dermal	2080 mg/kg bw
Worker	Chronic Systemic	Inhalation	294 mg/m ³

PNEC

DIPROPYLENE GLYCOL METHYL ETHER

Environmental protection target	PNEC value
Fresh water	19 mg/L
Freshwater sediments	70.2 mg/kg dw
Marine water	1.9 mg/L
Marine sediments	7.02 mg/kg dw
Microorganisms in sewage treatment	4168 mg/L
Soil (agricultural)	2.74 mg/kg dw
Intermittent	190 mg/L

ALCOHOLS, C9-11, ETHOXYLATED

Environmental protection target	PNEC value
Fresh water	0.104 mg/L
Freshwater sediments	13.7 mg/kg dw
Marine water	0.104 mg/L
Microorganisms in sewage treatment	1.4 mg/L
Soil (agricultural)	1 mg/kg dw

8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source. Eye-rinsing facilities shall be available at the workplace.

8.2.2. Individual protection measures, such as personal protective equipment

Eye/face protection

Use protective glasses with tight seals according to standard EN166.

Skin protection

Use suitable protective clothing.

Use protective gloves fulfilling the standard EN374 if there is a risk of direct contact.

During continuous contact use gloves with a minimum breakthrough time of at least 240 minutes, preferably over 480 minutes.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

Based on the chemical properties of the product, the following glove materials are recommended (EN 374):

– Butyl rubber.

Respiratory protection

Use appropriate respiratory protective equipment in case of insufficient ventilation.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

Based on the physical and chemical properties of the product, the following filter type(s) and/or filter combination(s) are recommended:.

– A/P2.

8.2.3. Environmental exposure controls

For limiting environmental exposure, see section 12.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

(a) Physical state	liquid
	Form: liquid
(b) Colour	Clear
(c) Odour	aromatic
(d) Melting point/freezing point	Not indicated
(e) Boiling point or initial boiling point and boiling range	100 °C
(f) Flammability	Not indicated
(g) Lower and upper explosion limit	Not indicated
(h) Flash point	Not indicated
(i) Auto-ignition temperature	Not indicated
(j) Decomposition temperature	Not indicated
(k) pH	When supplied, pH is: 9.9
(l) Kinematic viscosity	Not indicated
(m) Solubility	Solubility in water: Soluble
(n) Partition coefficient n-octanol/water (log value)	Not indicated
(o) Vapour pressure	Not indicated
(p) Density and/or relative density	Not indicated
(q) Relative vapour density	Not indicated
(r) Particle characteristics	Not indicated

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Not indicated

9.2.2. Other safety characteristics

Not indicated

SECTION 10: Stability and reactivity

10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known during normal use.

10.4. Conditions to avoid

Protect from direct sunlight.

10.5. Incompatible materials

No information is available.

10.6. Hazardous decomposition products

No information is available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

DIPROPYLENE GLYCOL METHYL ETHER

LD50 rabbit 24h: > 19000 mg/kg Dermal

LD50 rat 24h: 5130 mg/kg Orally

LC50 rat 7h: > 1.667 mg/l Inhalation

ALCOHOLS, C9-11, ETHOXYLATED

LD50 rat 24h: > 2000 mg/kg Dermally

LD50 rat 24h: 500 - 2000 mg/kg Orally

Skin corrosion/irritation

The product is not classified for skin corrosion/irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

The product is not classified as sensitising.

Germ cell mutagenicity

The product is not classified as mutagen.

Carcinogenicity

The product is not classified as carcinogenic.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No information is available.

11.2.2. Other information

Not indicated.

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic life with long lasting effects.

Prevent release on land, in water and drains.

DIPROPYLENE GLYCOL METHYL ETHER

LC50 fathead minnow (*Pimephales promelas*) 96h: > 10000 mg/l

LC50 Freshwater water flea (*Daphnia magna*) 48h: 5000 mg/l

EC50 Freshwater water flea (*Daphnia magna*) 48 h: 1919 mg/l

LC50 Fish 96h: > 150 mg/l

NOEC Freshwater water flea (*Daphnia magna*) 21d: 0.5 mg/l

EC50 Algae (*Pseudokirchneriella subcapitata*) 96h: 969 mg/l

EC10 *Pseudomonas* (*Pseudomonas putida*) 18 h: 4168 mg/l

LC50 Guppy (*Poecilia reticulata*) 96h: > 1000 mg/l

LC50 Fish 4d: 1 g/l

12.2. Persistence and degradability

No information is available.

12.3. Bioaccumulative potential

No information is available.

12.4. Mobility in soil

No information is available.

12.5. Results of PBT and vPvB assessment

No information is available.

12.6. Endocrine disrupting properties

No information is available.

12.7. Other adverse effects

No information is available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product

Avoid discharge into sewers.

Discarded products must be disposed of as hazardous waste in accordance with regulations.

Not completely emptied packaging can contain remnants of dangerous substances and should therefore be handled as hazardous waste according to the above. Completely emptied packaging can be recycled.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number or ID number

Not classified as dangerous goods

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

14.8 Other transport information

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not indicated.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet

Revisions of this document

This is the first version

16b. Legend to abbreviations and acronyms used in the safety data sheet

Full texts for Hazard Class and Category Code mentioned in section 3

Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, H400 - Very toxic to aquatic life
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2 - Aquatic Chronic 2, H411 - Toxic to aquatic life with long lasting effects
Acute Tox. 4	Acute toxicity (oral), Hazard Category 4 - Acute Tox. 4, H302 - Harmful if swallowed
Eye Dam. 1	Serious eye damage/eye irritation, Hazard Category 1 - Eye Dam. 1, H318 - Causes serious eye damage
Skin Corr. 1B	Skin corrosion/irritation, Hazard Category 1B - Skin Corr. 1B, H314 - Causes severe skin burns and eye damage
Aquatic Acute 1, M = 10	Hazardous to the aquatic environment — Acute Hazard, Category 1 - Aquatic Acute 1, M = 10, H400 - Very toxic to aquatic life
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1 - Aquatic Chronic 1,

Aquatic Chronic 3 H410 - Very toxic to aquatic life with long lasting effects
Hazardous to the aquatic environment — Chronic Hazard, Category 3 - Aquatic Chronic 3,
H412 - Harmful to aquatic life with long lasting effects

Explanations of the abbreviations in Section 8 United Kingdom

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity

Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road
RID Regulations concerning the International Transport of Dangerous Goods by Rail
IMDG International Maritime Dangerous Goods Code
ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)
IATA The International Air Transport Association

16c. Key literature references and sources for data

Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2025-08-27.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

648/2004 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents

2008/98/EC DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

16e. List of relevant hazard statements and/or precautionary statements

Full texts for hazard statements mentioned in section 3

H400 Very toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects
H302 Harmful if swallowed
H318 Causes serious eye damage
H314 Causes severe skin burns and eye damage
H410 Very toxic to aquatic life with long lasting effects

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment

Warning for misuse

Not indicated.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, www.kemrisk.se